

# RESTAURANT EQUIPMENT WAREHOUSE

ALL FLYER PRICING DOES NOT INCLUDE FREIGHT DELIVERY, INSTALLATION,  
OR TAXES.

05/28/2021

## REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8004GR

Atosa Refrigerator, reach-in, one-section, 28-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 21.4 cu. ft. (1) locking hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



## REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8010GR

Atosa Refrigerator, reach-in, one-section, 28-3/4"W x 31-1/2"D x 81-1/4"H, top mount self-contained refrigeration, 21.4 cu. ft., (2) locking right-hand hinged solid half-doors, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



## REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8010GRL

Atosa Refrigerator, reach-in, one-section, 28-3/4"W x 31-1/2"D x 81-1/4"H, top mount self-contained refrigeration, 21.4 cu. ft., (2) locking left-hand hinged solid half-doors, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 4 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



## REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8005GR

Atosa Refrigerator, reach-in, two-section, 51-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 43.2 cu. ft. (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



## REACH-IN REFRIGERATOR Atosa USA, Inc. Model MBF8006GR

Atosa Refrigerator, reach-in, three-section, 77-4/5"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 64.9 cu. ft. (3) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (9) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



## REACH-IN FREEZER Atosa USA, Inc. Model MBF8001GR

Atosa Freezer, reach-in, one-section, 28-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 21.4 cu. ft., (1) locking hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN FREEZER****Atosa USA, Inc.****Model MBF8007GR**

Atosa Freezer, reach-in, one-section, 28-3/4"W x 31-1/2"D x 81-1/4"H, top mount self-contained refrigeration, 21.4 cu ft., (2) locking right-hand hinged solid half-doors, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN FREEZER****Atosa USA, Inc.****Model MBF8007GRL**

Atosa Freezer, reach-in, one-section, 28-3/4"W x 31-1/2"D x 81-1/4"H, top mount self-contained refrigeration, 21.4 cu ft., (2) locking left-hand hinged solid half-doors, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN FREEZER****Atosa USA, Inc.****Model MBF8002GR**

Atosa Freezer, reach-in, two-section, 51-7/10"W x 31-7/10"D x 81-3/10"H, top mount self-contained refrigeration, 43.2 cu ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN FREEZER****Atosa USA, Inc.****Model MBF8003**

Atosa Freezer, reach-in, three-section, 77-4/5"W x 33-3/10"D x 83"H, top mount self-contained refrigeration, 64.9 cu ft., (3) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (9) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R-404a refrigerant, 1-1/4 HP, 115/208-230v/60/1-ph, 5.5 amps, cord with NEMA L14-20P, cETLus, ETL-Sanitation

**REACH-IN REFRIGERATOR****Atosa USA, Inc.****Model MBF8505GR**

Atosa Refrigerator, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking hinged solid door, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.1 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN REFRIGERATOR****Atosa USA, Inc.****Model MBF8507GR**

Atosa Refrigerator, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 46.77 cu. ft., (2) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN REFRIGERATOR****Atosa USA, Inc.****Model MBF8508GR**

Atosa Refrigerator, reach-in, three-section, 81-9/10"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 67.99 cu. ft., (3) locking hinged solid doors, digital temperature control, 33° to 40°F temperature range, (9) adjustable shelves, interior LED lighting, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.2 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REACH-IN FREEZER****Atosa USA, Inc.****Model MBF8501GR**

Atosa Freezer, reach-in, one-section, 27"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 19.1 cu. ft., (1) locking hinged solid door, digital temperature control, -8° to 0°F temperature range, (3) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.3 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



**REACH-IN FREEZER**  
**Atosa USA, Inc.**  
**Model MBF8503GR**

Atosa Freezer, reach-in, two-section, 54-2/5"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 44.77 cu. ft., (2) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (6) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 8.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



**REACH-IN FREEZER**  
**Atosa USA, Inc.**  
**Model MBF8504**

Atosa Freezer, reach-in, three-section, 81-9/10"W x 31-7/10"D x 83-1/10"H, bottom-mount self-contained refrigeration, 71.0 cu. ft., (3) locking hinged solid doors, digital temperature control, -8° to 0°F temperature range, (9) adjustable shelves, interior LED lighting, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R-404a refrigerant, 1 HP, 115/208-230v/60/1-ph, 5.5 amps, cord with NEMA L14-20P, cETLus, ETL-Sanitation

