

RESTAURANT EQUIPMENT WAREHOUSE

ALL FLYER PRICING DOES NOT INCLUDE FREIGHT DELIVERY, INSTALLATION,
OR TAXES.

05/28/2021

UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model MGF8401GR

Atosa Undercounter Refrigerator, reach-in, one-section, 27-9/16"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 7.15 cu. ft., (1) hinged solid door (specify hinging), digital temperature control, 33° to 40°F temperature range, (1) adjustable shelf, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model MGF8402GR

Atosa Undercounter Refrigerator, reach-in, two-section, 48-1/4"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 13.38 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model MGF8403GR

Atosa Undercounter Refrigerator, reach-in, two-section, 60-1/4"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 17.2 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



UNDERCOUNTER REFRIGERATOR Atosa USA, Inc. Model MGF8404GR

Atosa Undercounter Refrigerator, reach-in, three-section, 72-11/16"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 21.13 cu. ft., (3) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (3) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®



REACH-IN UNDERCOUNTER FREEZER Atosa USA, Inc. Model MGF8405GR

Atosa Undercounter Freezer, reach-in, one-section, 27-1/2"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 7.15 cu. ft., (1) hinged solid door (specify hinging), digital temperature control, -8° to 0°F temperature range, (1) adjustable shelf, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 1.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REACH-IN UNDERCOUNTER FREEZER Atosa USA, Inc. Model MGF8406GR

Atosa Undercounter Freezer, reach-in, two-section, 48-1/4"W x 30"D x 34-1/8"H, rear-mounted self-contained refrigeration, 13.38 cu. ft., (2) hinged solid doors, digital temperature control, -8° to -1°F temperature range, (2) adjustable shelves, automatic evaporation, electric defrost, stainless steel interior & exterior, galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.6 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation



REFRIGERATED WORK TOP**Atosa USA, Inc.****Model MGF8408GR**

Atosa Worktop Refrigerator, with backsplash, reach-in, one-section, 27-1/2"W x 30"D x 39-4/5"H, rear-mounted self-contained refrigeration, 7.2 cu. ft., (1) hinged solid door, digital temperature control, 33° to 40°F temperature range, (1) adjustable shelf, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REFRIGERATED WORK TOP****Atosa USA, Inc.****Model MGF8409GR**

Atosa Worktop Refrigerator, with backsplash, reach-in, two-section, 48-3/10"W x 30"D x 39-4/5"H, rear-mounted self-contained refrigeration, 13.4 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**REFRIGERATED WORK TOP****Atosa USA, Inc.****Model MGF8410GR**

Atosa Worktop Refrigerator, with backsplash, reach-in, two-section, 60-1/5"W x 30"D x 39-4/5"H, rear-mounted self-contained refrigeration, 17.2 cu. ft., (2) hinged solid doors, digital temperature control, 33° to 40°F temperature range, (2) adjustable shelves, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 4" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation, ENERGY STAR®

**EQUIPMENT STAND, REFRIGERATED BASE****Atosa USA, Inc.****Model MGF8450GR**

Atosa Chef Base, one-section, 48-2/5"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 7.7 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (4) 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**EQUIPMENT STAND, REFRIGERATED BASE****Atosa USA, Inc.****Model MGF8451GR**

Atosa Chef Base, one-section, 52"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 8.4 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (6) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**EQUIPMENT STAND, REFRIGERATED BASE****Atosa USA, Inc.****Model MGF8452GR**

Atosa Chef Base with Extended Top, one-section, 60-1/2"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 8.4 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (6) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**EQUIPMENT STAND, REFRIGERATED BASE****Atosa USA, Inc.****Model MGF8453GR**

Atosa Chef Base with Extended Top, two-section, 72-1/2"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 12.1 cu. ft., (4) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (8) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation

**EQUIPMENT STAND, REFRIGERATED BASE****Atosa USA, Inc.****Model MGF8454GR**

Atosa Chef Base with Extended Top, two-section, 76"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 12.1 cu. ft., (4) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (8) 12 x 20 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation



CHEST FREEZER
Atosa USA, Inc.
Model MWF9007

Atosa Chest Freezer, 37-4/5"W x 20-3/5"D x 32-1/2"H, side-mounted self-contained refrigeration, 7 cu. ft., solid hinged lid, epoxy coated white baskets, temperature range -10° to -1°F, white coated steel exterior, white coated aluminum interior, defrost drain, 1" casters, R600a refrigerant, 115 watts, 1/8 HP, 115v/60/1-ph, 1amp, cETLus, ETL-Sanitation



CHEST FREEZER
Atosa USA, Inc.
Model MWF9010GR

Atosa Chest Freezer, 40-1/2"W x 26-1/2"D x 32-1/2"H, side-mounted self-contained refrigeration, 9.6 cu. ft., locking solid hinged lid, epoxy coated white baskets, temperature range -10° to -1°F, white coated steel exterior, white coated aluminum interior, defrost drain, 1" casters, R600a refrigerant, 173 watts, 1/5 HP, 115v/60/1-ph, 1.5 amp, cETLus, ETL-Sanitation



CHEST FREEZER
Atosa USA, Inc.
Model MWF9016GR

Atosa Chest Freezer, 60-1/5"W x 26-1/2"D x 32-1/2"H, side-mounted self-contained refrigeration, 15.9 cu. ft., locking solid hinged lid, epoxy coated white baskets, temperature range -10° to -1°F, white coated steel exterior, white coated aluminum interior, defrost drain, 1" casters, R290a refrigerant, 300 watts, 1/5 HP, 115v/60/1-ph, 2.6 amp, cETLus, ETL-Sanitation



CHEST FREEZER
Atosa USA, Inc.
Model MMF9110

Atosa Chest Freezer, 40-3/4"W x 26-3/4"D x 33-3/8"H, side-mounted self-contained refrigeration, 9.6 cu. ft., locking curved top sliding glass lid, LED interior lighting, temperature range -10° to -1°F, (3) white epoxy coated basket, white coated interior & exterior, defrost drain, 2" casters, R290 refrigerant, 115v/60/1-ph, 1.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation



CHEST FREEZER
Atosa USA, Inc.
Model MMF9113

Atosa Chest Freezer, 50-1/8"W x 26-3/4"D x 33-3/8"H, side-mounted self-contained refrigeration, 12.5 cu. ft., locking curved top sliding glass lid, LED interior lighting, temperature range -10° to -1°F, (4) white epoxy coated basket, white coated interior & exterior, defrost drain, 2" casters, R290 refrigerant, 115v/60/1-ph, 1.6 amps, cord with NEMA 5-15P, cETLus, ETL-Sanitation

